



शासकीय तंत्रनिकेतन जालना

जालना- छत्रपती संभाजीनगर रोड, नागेवाडी, जालना जि.जालना

Ph No. 02482 - 299099, 282323

E-Mail : principal.gpjlna@demaharashtra.gov.in

Web Address: www.gpjlna.ac.in

AICTE ID: 1-804497011



DTE CODE - 2014

MSBTE CODE - 0120

No. : GPJ/Store/2026/ 1815

Date: 13 JUL 2026

QUOTATION

Sub: Quotation for Repairing Water filter R.O. Capacity 50 LPH (Qty.-3).
(Due Date: 13 /08/2026)

Sealed Quotations are from eligible and interested manufacturers / dealers / distributors / for the following items on the terms and conditions mentioned below.

Sr. No.	Name of the item with specification	Quantity required	Estimated cost for per unit
1.	RO Membrane (for filter 50 LPH)	12 no	2000=00
2.	PP SPUN 10'' Big Jumbo filter (for filter 50 LPH)	06 no	500=00
3.	CTO Filter (for filter 50 LPH)	03 no	800=00
4.	FR 450 spare parts (for filter 50 LPH)	12 no	100=00
5.	Service Charges per unit (for filter 50 LPH)	03 no	400=00

TERMS AND CONDITIONS

- The bid / Quotation should be submitted in Two bid format.
- The First Envelope will contain Technical Specifications of the Product, Technical literature/ leaflet and other documents mentioned below.
 - Company / Shop / firm Registration shop Act license Xerox copy compulsory.
 - Company / Shop / firm GST registration certificate Xerox copy compulsory.
 - Covering Letter for tender on the company letter head mentioning official address, Contact no, email address and website (if available) address
- Additional document may also be asked by undersigned for confirming the details.
- The Second Envelope will contain the financial bid in which the all inclusive rates F.O.R. Destination will be written and signed with the stamp of the establishment in the following format.

Sr. No.	Name of the item with specification	Quantity required	All inclusive cost per unit	All inclusive cost for quantity mentioned.
1.				
2.				

Date -
Place -

(Signature)
Rubber Stamp of organization

- The Two Envelopes should be sealed and clearly mention the type of Envelope (Technical/ Financial), Reference no., Date of opening the Quotation on the front side of the envelope. These Two Envelopes should be sealed in a Third Envelope by giving heading **“Quotation for Repairing Water filter R.O. Capacity 50 LPH (Qty.-3)”** and writing complete address of the undersigned.
- The Quotations should reach the undersigned on or before dt. **13/08/2026**.
- The material will be checked at this institute.
- No Extra Charges will be paid for cartage, packing etc. for the material rejected and replaced
- Quotations will be opened at **02 PM on dt. 14/08/2026**.
- **If Term & Condition are fulfill Lowest Rate will be consider for Placing order.**
- Rates should be Valid for 12 months from the date of confirmation letter.
- Materials should be quoted for standard makes and minimum pkgs.
- Delivery to the consignee Immediately
- **Spares supplied have to be fitted and toner refilling shall be done at the consignee location.**
- The undersigned reserves the right to accept or reject any offer or all offers without assigning any reason there of.


 (Dr. N.R.Jawade)
 Principal

Government. Polytechnic, Jalna

Copy To :- 1) Main Notice Board, Govt. Polytechnic, Jalna
 2) Programmer, Govt . Govt. Polytechnic, Jalna
 3) Extra Copy for store